Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	869	layout and template$2 and (publish$4 near3 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/26 13:35
S4	792	715/517,520.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/26 13:43
S3	35	S2 and (predetermin$4 near5 (layout template))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/26 16:43
S5	64	S1 and (predetermin$4 near5 (layout template))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/26 16:43
S6	29	S5 not S3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:21
S7	869	layout and template$2 and (publish$4 near3 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:21
S8	331	S7 and (select$4 near6 template$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:21
S9	35	S8 and (predetermin$4 near5 (layout template))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:21
S11	29	S10 not S9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:41
S12	334	715/507.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:43
S13	263	715/505.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:45
S14	25	715/908.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 09:45

S10	64	S7 and (predetermin$4 near5 (layout template))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:13
S15	869	layout and template$2 and (publish$4 near3 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:13
S2	331	S1 and (select$4 near6 template$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:54
S16	64	S15 and (predetermin$4 near5 (layout template))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:54
S18	869	layout and template$2 and (publish$4 near3 (data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:54
S19	411	S18 and (select$4 near6 (layout template$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:54
S17	41	S16 and (user near3 (profile$2 preference$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:55
S20	297	S19 and predetermin$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:55
S21	233	S20 and (user near3 (profile$2 preference$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:55
S22	194	S21 not S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 13:55
S23	157	S22 and @ad<="20020924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/27 14:01
S24	37	S22 not S23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 10:45

S26	0	S25 and importan$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 10:46
S27	0	S25 and important	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 10:46
S28	0	S27 and importance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 10:48
S29	1	S25 and (significant$2 crucial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 10:48
L1	1	"6453302".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 14:46
S25	1	"6453302".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 14:46
L2	1	1 and recommend$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 14:49
L3	1	2 and suggest$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/30 14:49

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE

Search Session History

Mon, 30 Jan 2006, 4:13:33 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   ((layout<in>metadata) <and> (published<in>metadata))
     <and> (information or data<in>metadata)

#2   ((template <in>metadata) <and> (published
     information<in>metadata))

#3   ((layout <in>metadata) <and> (published
     information<in>metadata))

#4   ((layout or template<in>metadata) <and>
     (predetermined<in>metadata))<and> (select <in>metadata)

#5   ((layout region<in>metadata) <or> (template
     region<in>metadata))

#6   ((template or layout<in>metadata) <and>
     (shape<in>metadata))<and> (size<in>metadata)

#7   ((shape <in>metadata) <and> (size<in>metadata))<and>
     (relevant template<in>metadata)

#8   ((relevant page<in>metadata) <and> (relevant
     layout<in>metadata))<and> (relevant template<in>metadata)

#9   ((layout device<in>metadata) <and> (storage<in>metadata))
     <and> ((select template) or (select layout)<in>metadata)

Help   Contact Us   Privacy & S

© Copyright 2005 IEEE –

Indexed by
Inspec